

DBL- DBL Glass Door Display - Remote

Create
REFRIGERATION



Glass Door • Supermarket refrigerator equipment




Available colours

RAL9005; GN150A; GL180A; GY070A
MW201T; GL205A; RAL9003; RAL9010

www.createrefrigeration.com

E6M

Create
REFRIGERATION



Applicable Places

Suit for all kinds of supermarket, hypermarket convenience store, mini shop.



Self-Closing Door

Self-closing glass door to keep the inner temperature and save cold power.



Applicable Products


Beverages, water, yoghurt, fruits, vegetables and other food that need refrigeration.

Model	Size (mm)	Temp range(°C)	Volume(L)	Certification	Voltage / Frequency
E6M-1875R	1875*850/1050*2050	0~8°C	1350	CE,CB,ETL,ROHS,UL,IEC	220V/50HZ; 110V/60HZ; 220V/60HZ
E6M-2500R	2500*850/1050*2050	0~8°C	1800	CE,CB,ETL,ROHS,UL,IEC	220V/50HZ; 110V/60HZ; 220V/60HZ
E6M-2900R	2900*850/1050*2050	0~8°C	2350	CE,CB,ETL,ROHS,UL,IEC	220V/50HZ; 110V/60HZ; 220V/60HZ
E6M-3750R	3750*850/1050*2050	0~8°C	2750	CE,CB,ETL,ROHS,UL,IEC	220V/50HZ; 110V/60HZ; 220V/60HZ

Temperature (°C)

0~8°C

Applicable Category



Classe Energetica



Classe energetica riferita ad una specifica configurazione del banco , che può variare sensibilmente per una diversa configurazione.



www.createrefrigeration.com

MAIN PARAMETERS

Light: LED/6500K 24V

Door: Double insulating glass with Low-E coated glass

Outdoor Compressor: Bitzer/Emerson/Copeland/Sanyo/Panasonic

Thermostat: Hkreco/Elitech/Dixell


Refrigeration Method: Air cooling

Defrost Method: Automatic

Fan: EBM

CUSTOMIZABLE ITEMS

- Standard sheet metal shelves, replaceable hooks
- Door handle styles optional
- Requires an outdoor compressor, optional brands are Bitzer/Emerson/Copeland/Sanyo/Panasonic
- Customizable product color, plug and voltage frequency



AVAILABLE COLOURS

RAL9005; GN150A; GL180A; GY070A;
MW201T; GL205A; RAL9003; RAL9010

Additional Information

All Dimensions shown in Millimetres (mm) unless otherwise stated. Dimensions and features are subject to change. Please obtain current technical information prior to order confirmation.

NOTE: We reserve the right to change or revise specifications and product design in connection with any feature of our products. Such changes do not entitle the buyer to corresponding changes, improvements, additions or replacements for equipment previously sold or Shipped.

Create Refrigeration

Xingfu Industrial Park, Binzhou City,
Shandong Province, China
Ph: +86 138 5430 6994

Email: create6994@createrefrigeration.com

www.createrefrigeration.com

CUSTOMIZABLE ITEMS

- Large internal space and spacious display area.
- The air speed and air volume in the cabinet are more uniform, and the insulation layer is 50mm, which prevents the loss of cooling capacity, increases the cooling capacity and ensures the comprehensive energy consumption ratio of the product.
- Door has a limit, automatically rebounds, making it convenient to place goods and purchase, prevent excessive dissipation of air conditioning.
- Brand new LED lighting, 6500k white light display, no blind spots in the space, and outstanding product display effect.
- The product is suitable for supermarkets and convenience stores to store beer drinks, fruits and vegetables, cakes, desserts, meat and other refrigerated foods.

